

INDEX

- Aegirine Syenite Aplite, Allt a' Mhuillin, 162
- Analyses;
- Aegirine Syenite Aplite, Allt a' Mhuillin, 158
- Assyntite, Ledbeg Cottage, 158
- Biotite garnet nepheline syenite, Bear Paw Mts., 157
- Borolanite ("Younger Borolanite"), Loch Borolan, 157
- Ledmorite, Achmelvich, 160
- Ledbeg River, Assynt, 158
- Rhu More, Coigach, 160
- Quartz Syenite, Cnoc na Sroine, 158
- Two-pyroxene basalt, Kinpurney Hill, 111
- Wester Denoon, 111
- Angus, glacial deposits of S.E., 241
- Appalachians, dating plutonic events of, 185
- Arbroath, gravel ridge, 252
- Arenigian cherts, S. Uplands, 60
- Assynt alkali suite, chemical data, 156
- Assyntite, 159
- BAILEY, E. B. and W. J. McCALIEN, Ballantrae Serpentine, 33
- Ballaird area, splittic volcanics, 44
- Ballantrae Serpentine, 33
- Bennane Head anticline, 39
- Borolanite, Ledmore River, 156
- BOWES, D. R. and K. A. JONES, Sedimentary Features and Tectonics, Dalradian, Perthshire, 133
- Brothock valley, glacial deposits, 249
- Cambrian, limiting dates for base, 191
- Climatic origin of river terraces, 165
- Conodonts in S. Uplands cherts, 60
- Corresponding Fellows, 182
- COTTON, C. A., Eustatic River Terracing, seaward down-flexure, 165
- CUNNINGHAM, R. J. H., geological appreciation, 265
- Current bedding, structures simulating, 135
- Dalradian, sedimentary features and tectonic style, Perthshire, 133
- Deltas, dimensions of, 170
- Denudation in hillslope evolution, 84
- Dolerite-Sandstone contact phenomena, 113
- Downan Point, splittic lavas and ashes, 43
- Dura Den, Fife, *Holoptychius nobilissimus*, 179
- Earth materials, behaviour under stress, 94
- East Lomond, Fife, dolerite-sandstone contact phenomena, 113
- Estuarine Series, Jurassic, Raasay, marine shell bed in, 273
- Excursions, 103, 180, 181, 276
- Flow of water over land surface, 85
- FORSYTH, I. H., Marine Shell-Bed, Estuarine Series, Raasay, 273
- FRANCIS, E. H., New Evidence of Volcanicity in West Fife, 71
- Friockheim, gravel terrace, 256
- Geological time-scale, revised, 203
- Glacial deposits, Lunan and Brothock valleys, 241
- Glacial and post-glacial history, River Don, Aberdeen, 141
- Glaciation-deglaciation cycles and river terraces, 176
- Glaucinite for dating sedimentary rocks, 190
- Glaucophane-schist, Pinbain Burn, 47
- GOODLET, G. A., Mid-Carboniferous Sedimentation in the Midland Valley of Scotland, 217
- Graded Bedding and structures simulating it, Dalradian, 137
- Granite, origin of, 266
- Gravel ridges, Brothock valley, 251
- strata, under or in delta, 173
- terraces and ridges, Lunan valley, 244
- GREENSMITH, J. T., Sandstone Dyke, Queensferry, 54
- HARRY, W. T., Old Red Sandstone Lavas of the Eastern Sidlaws, 105
- Hillslope elements, 83
- Hillslopes, uniformitarian nature, 81
- HOLMES, A., A Revised Geological Time-Scale, 183
- Holoptychius nobilissimus*, occurrence in Dura Den, Fife, 179
- Honorary Fellows, 182
- JONES, K. A. and D. R. BOWES, Sedimentary Features and Tectonics, Dalradian, Perthshire, 133
- K^{40}/A^{40} and Rb^{87}/Sr^{87} methods of dating, 187
- Katanga, uranium mineralisation, 193
- KELLING, G., Ripple-Mark in the Rhinns of Galloway, 117
- KING, L. C., The Uniformitarian Nature of Hillslopes, 81
- Knob and Kettle topography, Lunan valley, 245
- Knockdolian-Sallachan anticline, 38
- Knockdolian Splittic Group, 37
- KURSTEN, M., Metamorphic and Tectonic History of the Outer Hebrides, 1
- Laminated clays, Lunan valley, 249
- LAMONT, A. and M. LENDSTROM, Arenigian and Llandeilian Cherts, S. Uplands, Conodonts in, 60

- Ledmorite, Assynt, 159
 Leptite, South Uist, 4
 LINDSTROM, M. and A. LAMONT,
 Arenigian and Llandeilian Cherts,
 S. Uplands, Conodonts in, 60
Lingula shale, Kailblades Coal roof,
 233
 Llandeilian Cherts, S. Uplands, 60
 Loch Fithie, sand pits, 244
 LUMSDEN, G. I., Glacial and Post-
 Glacial History, River Don, 141
 Lunan Valley, glacial deposits, 242
- MCALLIEN, W. J. and E. B.
 BAILEY, Ballantrae Serpentine, 33
 Mass movement of rock waste over
 land surfaces, 89
 Mid - Carboniferous sedimentation,
 Midland Valley, 217
 Mineral localities, recorded by Cun-
 ningham, 267
 Millenderdale, serpentine, 43
 Non-igneous tuffs, West Fife, 78
- Old Red Sandstone lavas, Eastern
 Sidlaws, 105
 Outer Hebrides, chronological table
 of geological events, 28
 — metamorphic and tectonic his-
 tory, 1
- Pediments, 86
 Perthshire, sedimentary features
 and tectonics, 133
 Pinbain Burn, spilitic volcanics, 44
 Post-Precambrian time scale, 194
 Pre-Sturtian granites, dating, 191
 Pseudotachylite, South Uist, 11
Pygodus anserinus, g. et sp. nov., 67
- Quartz Syenite, Cnoc na Sroine, 163
 Queensferry, sandstone dyke, 54
- Raasay, marine shell-bed in Estu-
 arine Series, 273
 Record of Papers read and of Ex-
 hibits, 103, 180, 181, 276
 Rheomorphism, microscopic; at
 dolerite-sandstone contact, 114
 Rhinns of Galloway, Ripple Mark,
 117
 Rhythmic sedimentation, mid-Car-
 boniferous, Midland Valley, 213
- RICE, R. J., Glacial Deposits, Lunan
 and Brothock Valleys, 241
 Ripple Mark, complex, 121
 — longitudinal, 124
 — transverse, 118
- River Don, Aberdeenshire, glacial
 and post-glacial history, 141
 River terraces, seaward down-
 flexure, 165
- Sandstone dyke, Queensferry, 54
 Secondary effects of climatic oscil-
 lations on terrace deposits, 169
 Sedimentary facies, early Namurian,
 235
 — late Visean, 234
 — lateral variation, 228
 — variation in time, 229
 Sedimentary Features, Dalradian,
 Perthshire, 133
 Seismic origin of sandstone dyke,
 Queensferry, 57
 Serpentine, age relations of Ballan-
 traee, 45
 Sidlaws, Old Red Sandstone Lavas,
 105
 South Ballaird, agglomerate and
 serpentine, 45
 South Harris, metamorphic history,
 22
 — rock types, 19
 — structure, 23
 South Uist, gneisses west of the
 thrust belt, 3
 — metamorphic rocks of the
 thrust belt, 10
 — mylonites, 16
 — structure of thrust belt, 13
 — younger dykes, 19
 Southern Uplands, Arenigian and
 Llandeilian Cherts, 60
 Spillites, Ballantrae, 35
 Stockinray, agglomerate, 35
 Stornoway Beds, 27
 Stuley, Island of; mylonites, 16
- Tectonics, Dalradian, West Perth-
 shire, 133
 — Outer Hebrides, 1
 TILLEY, C. E., New chemical data,
 Assynt Alkali Suite, 156
 Time scale, revised geological, 203
 Top Hosie Limestone, isopachs, 226
 Tuffs, non-igneous, West Fife, 78
- Uniformitarian nature of hillslopes, 81
 Uranium mineralisation, Katanga,
 193
- Vents, undated, in West Fife, 77
 Volcanicity in Limestone Coal
 Group, West Fife, 71
 — in Upper Limestone Group,
 West Fife, 73
- WALKER, F., Dolerite - Sandstone
 contact phenomena on the East
 Lomond, Fife, 113
- WATERSTON, C. D., Robert James
 Hay Cunningham, 260
- WATTISON, A., Note on the occur-
 rence of *Holoptychius nobilissimus*
 in Dura Den, Fife, 179
 West Fife, new evidence of vol-
 canicity, 71

TRANSACTIONS
of the
Edinburgh Geological Society

CONTENTS

- MARTIN KURSTEN : The Metamorphic and Tectonic History
of Parts of the Outer Hebrides, *page 1*
- E. B. BAILEY and W. J. McCALLIEN : The Ballantrae
Serpentine, Ayrshire, *page 33*
- JOHN TREVOR GREENSMITH : A Sandstone Dyke near
Queensferry, West Lothian, *page 54*
- A. LAMONT and M. LINDSTRÖM : Arenigian and Llandeilian
Cherts identified in the Southern Uplands of Scotland
by means of Conodonts, etc., *page 60*
- E. H. FRANCIS : New Evidence of Volcanicity in West Fife,
page 71
- L. C. KING : The Uniformitarian Nature of Hillslopes,
page 81

PUBLISHED FOR THE SOCIETY BY

OLIVER & BOYD LTD.

EDINBURGH: TWEEDDALE COURT

LONDON: 39A WELBECK STREET

PRICE: TWENTY SHILLINGS

THE EDINBURGH GEOLOGICAL SOCIETY acknowledge gratefully the financial assistance which they have received from The Royal Society, The Carnegie Trust for the Universities of Scotland, The Peach & Horne Memorial Fund, and The T. Cuthbert Day Bequest.

COPYRIGHT © THE EDINBURGH GEOLOGICAL SOCIETY
1957

The EDINBURGH GEOLOGICAL SOCIETY was founded in 1834. Fellows pay an Annual Subscription of 30s. ; or a single payment of 24 guineas may be made for life. Intending members are required to be nominated by two Ordinary Fellows. Further particulars may be had from the Honorary Secretary, The Edinburgh Geological Society, Synod Hall, Edinburgh.

PUBLICATIONS OF THE EDINBURGH GEOLOGICAL SOCIETY

Volumes 5-7 and 10-16 of the *Transactions* are available at a cost of 30s. per volume. The present part, Volume 17, Pt. 3, costs 20s. Certain parts of out-of-print volumes are still obtainable. A list of these parts and prices may be had on application to the publishers.

Fellows can purchase back numbers of the *Transactions* at a discount of 20 per cent.

Other publications are :—

- 1934 History of the Edinburgh Geological Society, 2s. 6d.
- 1939 Facsimile, unfolded, of Necker's Geological Map of Scotland, of 1808, 5s.
- 1958 Geological Excursion Guide to the Assynt District of Sutherland (with 4 coloured and 3 line geological maps), Second Edition 7s. 6d.

NOTES FOR INTENDING CONTRIBUTORS
TO THE TRANSACTIONS

(1) Contributions should be of Scottish or of general geological interest and must be original.

(2) The normal maximum length for a paper is 10,000 words. All papers should be preceded by an ABSTRACT not exceeding 200 words; long papers should have, in addition, a list of CONTENTS. Sections should be numbered with Roman numerals. The address of the author should be appended to the paper.

(3) Text must be typewritten on one side of the paper, with wide margins and double spacing. The contribution should be in its final form; extensive corrections in the proof stages are chargeable to the author.

(4) Line drawings must be of draughtsmanship quality and of such dimensions, reducible if necessary, as to allow reduction to a maximum size of $6\frac{1}{2}'' \times 4''$. If such illustrations do not conform to the standard required, the editors may require to have them redrawn at the author's expense. Photographs should be submitted unmounted except in the case of plates of fossils or photomicrographs. All illustrations and photographs should be lightly numbered on the back with a soft pencil, with the legends typed separately, and attached to the manuscript of the article.

(5) REFERENCES should be arranged alphabetically and set out as follows :—

ANDERSON, E. M., 1951. *Dynamics of Faulting*, 2nd ed., Oliver & Boyd, Edinburgh.

MCCALL, J., and GOODLET, G. A., 1952. Indicator stones from the drift of south Midlothian and Peebles. *Trans. Edin. Geol. Soc.*, **14**, 401-409.

(6) 25 reprints will be supplied free of charge. Further copies will be provided at cost if ordered before the issue is printed.

(7) Papers submitted for publication should be sent to :—

THE EDITORS

TRANSACTIONS OF THE EDINBURGH GEOLOGICAL SOCIETY

TWEEDDALE COURT, 14 HIGH STREET, EDINBURGH 1

The editors will gladly give assistance on editorial matters to intending contributors.