

INDEX

- Aberfoyle anticline, 59, 259, 275
 Algal Beds, Gt. Estuarine Series, 160
 Andalusite, Dalradian, Banffshire, 47-51
 Amphibole, Dalradian, Banffshire, 54-5
 Amphibolite dyke, Badcall, Sutherland, 201-4
 Ardnamurchan, Gt. Estuarine Series, 159; Jurassic sediments, Ben Hiant, 323-4
 Arran, granites, 406; Old Red Sandstone and Highland Boundary 363-425

 Badcall, Sutherland, intrusions, 201-7
 Banff Nappe, 30, 57, 62
 Banffshire Dalradian 29-64; stratigraphical succession, 32
 Barrovian metamorphic zones, 57; -type metamorphism, Lower Dalradian, Banffshire, 31
 Barytes, Arran, 416
 Basaltic veins, Badcall, Sutherland, 205
 Ben Eagach Schists, 167
 Ben Hiant, Jurassic sediments, 323-4
 Ben Lawers Schist, 167
 Ben Lui (Kirkmichael) Syncline, 59, 62
 —Schists, 167
 Ben-y-Vrackie Synform, 272
 Bergalite tuffs and lavas, Mt. Nyiragongo, 1
 Biotite, Dalradian, Banffshire, 42-3
 Blair Atholl Antiform, 271-2
 Bounce marks, 240
 Boyndie Bay Groups, 35, 37, 43, 45, 47, 52, 53, 61
 Boyndie Syncline, 29, 30, 31, 34-5, 37, 40, 57, 59, 62
 Boyne Lag, 30
 Brück, P. M. and P. McL. D. Duff, Jurassic sediments, Ben Hiant, Ardnamurchan, 323-4
 Buchan Anticline, 30, 34, 57, 59, 62; metamorphic zones, 57; type metamorphism, Upper Dalradian, Banffshire, 31
 Calciferous Sandstone Measures, East Fife, 133-8
 Carbonatites, effusive, and alkaline volcanics, Nyiragongo, 21-3
 Carbonatite-type volcanism, 1
 Carn Chuinneag granite, zircons from, 352
 Carn Mairg Quartzite, 167
 Cation percentages, Mullaghduff Porphyry Dyke, 69
 Central Scotland, Millstone Grit, 439-85
 Chemical Analyses,
 Alkali olivine basalt, Hawaii, 213
 Amphibolite dyke, Badcall, Sutherland, 203
 Bergalite, Kaiserstuhl, 10
 —, Mt. Vulture, 10
 Clinopyroxene, Basalt, Mauritius, 213
 —, Olivine basalt, Fishnish Peninsula, Mull 210
 Doleritic basalt, Younger Series, Mauritius, 213
 Fused granite inclusion, Nyiragongo, 11
 Lava, Nyiragongo, 11
 Leucitite Lavas, Nyiragongo, 13
 Melilite-nephelinite, Nyiragongo, 11
 Melilitite lavas, Nyiragongo, 13
 Mullaghduff Porphyry Dyke, 67
 Nepheline aggregate lavas, 13
 Nepheline leucitite, Nyiragongo, 11
 Non-porphyritic Central Magma, Hebrides, 209
 Olivine basalt, Fingal's Cave, Staffa, 212
 Olivine basalt, Fishnish Peninsula, Mull, 210
 —, 1921 lava, Kilauea, 203
 —, Portree, Skye, 212, 213
 —, Younger Series, Mauritius, 213
 Plateau Magma type, Hebrides, 209
 Porphyritic Melilitite-leucite-nephelinite, Nyiragongo, 11
 —nephelinite-kalsilite-melilitite, 11
 Tholeiite (NPC type), North of England dykes, 212
Cephalaspis scotica, sp. nov. 316
 Chevron marks, 109, 291

- Cockburn Land, 248
 Coillebrochain Fold, 266, 268, 274, 275
 Collessie moraine, 122-8
 Conditions of deposition, Wenlockian, Hawick, 244-6
 Cordierite, Dalradian, Banffshire, 52
 Correlation of structural and metamorphic histories, Dalradian, Banffshire, 56
 Cowhythe Gneiss, 33, 41, 42, 44, 45, 52, 54, 55
 CRAIG, G. Y. and E. K. WALTON, Sedimentary structures and Palaeocurrent directions, Silurian, Kirkcudbrightshire, 100-19
 Crathie Point Group, 43
 Creag na h'Iolaire Anticline, 275
 Cross girdles, Glen Lyon rocks, 177
 Crushed rocks, Arran, 413
 Crystallisation-differentiation, 65, 74-81
 Cullen Quartzite, 42-4
 Current bedding, Silurian, 101, 112; superficial deposits, Fife, 124; directions, Hawick rocks, 241-3; markings, Silurian, 103, 109; structures, Torridonian, Rhum, 489
 Dalradian, Banffshire; correlation of structural and metamorphic histories, 56; F2 folds, original orientation, 41-2; metamorphic history, 42-55; regional comparison, 59-63; structural history, 31-41; time scale, 57-9
 Dalradian, Glen Lyon; fold styles, 168; megascopic fabric, 169-71; microscopic fabric, 171-98
 Dalradian, Pitlochry and Blair Atholl; faulting, 274; folds N.W. of Vertical Belt, 271-2; folds of Vertical Belt, 266-71; sliding, 272-4
 DALZIEL, I. W. D., Zircons from granitic gneiss, W. Ardgour 349-62
 Deformation structures, Dalradian, Banffshire, 36
 Deltoidal casts, 240
 Dendritic ridges, 280-4
 Differentiation and petrogenesis, Mt. Nyiragongo, 19-25
 Diffusion processes, material transfer, 65, 74-81
 Distribution of ions, Mullaghduff Porphyry Dyke, 72-3
 Dolerite dyke, Badcall, Sutherland, 205
 DUFF, P. Mc. L. D. and P. M. BRUCK, Jurassic sediments, Ben Hiant, Ardnamurchan, 323-4
 Durn Hill Quartzite, 34, 55
 DZULYNSKI, ST. and E. K. WALTON, Experimental production of sole markings, 279-305
 EARP, J. R., E. H. FRANCIS and W. A. READ, Discussion, Late-glacial Shore-lines, 216-224
 Eigg, Gt. Estuarine Series, 152-8
 Esker-like body, Collessie, Fife, 122
 Explosion Breccias, Stob Mhic Mhartuin, Glen Coe, 426-38
 Felspathoidal rocks, Nyiragongo, 5-9
 Fleur-de-lys patterns, 103-5
 Flinty crush-rock, Glen Coe, 427
 Flow casts, 240
 Flute marks, 240; pattern, 102, 107
 Fluvio-glacial deposition, Peeblesshire, 335, 343; erosion, Peeblesshire, 333, 341
 Forth area, raised shore-lines, 90
 FRANCIS, E. H., J. R. EARP and W. A. READ, Discussion, Late-glacial shore-lines, 216-24
 FRIEND, P. F., W. B. HARLAND and J. D. HUDSON, Old Red Sandstone and Highland Boundary, Arran, 363-425
 Frondescant marks, 291-5
 Garnet Dalradian, Banffshire, 43-6
 Gas transport and emission of silica, 24-5
 Glacial deposition, Peeblesshire, 330, 341; erosion, Peeblesshire, 328, 340
 Glen Coe, explosion breccia and flinty crush-rock, 426-38
 Glen Lyon, Dalradian, 166-200
 Grain orientation in quartzose rocks, Glen Lyon, 184-5
 Great Estuarine Series, Inner Hebrides, 139-65

- Greywackes, micrometric analysis, 232-6; microscopic characters, 227-32; provenance, 236-7
Groove marks, 240
- HARDIE, W. G.**, Explosion Breccias, Stob Mhic Mhartuin, Glen Coe, 426-38
- HARLAND, W. B.**, P. F. FRIEND and J. D. HUDSON, Old Red-Sandstone and Highland Boundary, Arran, 363-425
- HARRIS, A. L.**, Structural Investigations, Dalradian, Pitlochry and Blair Atholl, 256-78
- Hawick rocks, 100-1, 114-6, 246-7
- Heavy minerals, Scottish Millstone Grit, 449-72
- Hebridean Plateau Magma Type, 208-15
- Highland Boundary, Arran 363-425; Fault, 416-9
- Howe of Fife, strand lines, 120-32
- HUDSON, J. D.**, Great Estuarine Series, Inner Hebrides, 139-65
—, P. F. FRIEND and W. B. HARLAND, Old Red Sandstone and Highland Boundary, Arran, 363-425
- Hummocky moraine, Collessie, Fife, 122-3
- Iltay Boundary Slide, 274
—, Nappe, 167, 259
- Inchbae augen gneiss, zircons from, 352
- Inner Hebrides, Gt. Estuarine Series, 139-165
- Interference ripple marks, 240
- Isostatic recovery, Scotland, 87-9; Stirling, 89
- JOHNSON, M. R. W.**, Movement and metamorphism, Dalradian, Banffshire, 29-64
- Jurassic sediments, Ben Hiant, 323-4; Inner Hebrides, 139-65
- Kalsilite phase, Mt. Nyiragongo, 5-9
- Katungite blocks, Gatwe crater, 7
- KNOX, J.**, Strand lines, Howe of Fife, 120-32
- Kyanite, Dalradian, Banffshire, 52-4
- Late-glacial shore-lines, Forth area, 83-99; Howe of Fife, 120-32
- Lava of lava lake, Nyiragongo, 16
- Lawers Syncline, 59
- Leucitites, Nyiragongo, 1, 15-6
- Lewisian, intrusions in, 201-7
- Linear structures, Dalradian, Glen Lyon, 170-1
- Load structures, 295-8
- Loch Lomond Readvance, 87-8
- Loch Tay Fault, 274; Inversion, 275; Nappe, 275-7
- Loch Tummel Fold, 266, 275
- Longitudinal furrows, 285
- Longitudinal ridges, 102-5, 240, 285
- Macduff Group, 35, 43, 48, 61, 62
- Machrie Shore section, Arran, 379
- Marginal drainage channels, Howe of Fife, 125-6
- Material transfer, diffusion processes, 65, 74-81
- Meall Uaine Fold, 266, 268, 275
- Melilitite tuffs and lavas, Nyiragongo, 1
- Melilitites (bergalites), Nyiragongo, 13-5
- MERCY, E. L. P.**, Mullaghduff Porphyry Dyke, 65-82
- Microfabric studies, Dalradian, Glen Lyon, 166-200
- Middle Littorina transgression, 88
- Migmatization, Dalradian, Banffshire, 30
- Migmatitic feldspar, 55
- Millstone Grit, Central Scotland, 439-85
- Mimetic dimensional orientation, Dalradian, Glen Lyon, 197-8
- Modal analyses, Old Red Sandstone, Arran, 400
- Modified ripple marks, 106
- Moine metasediments, zircons from, 352
- Morainic mounds, Howe of Fife, 122-5
- Mount Baruta, 2, 4
- Mount Nyiragongo, petrology, 1-28

- Mount Shaheru, 2, 4
 Muck, Gt. Estuarine Series, 158-9
 MUIR, I. D. and C. E. TILLEY,
 Hebridean Plateau Magma Type,
 208-15
 MUIR, R. O., Petrography and Pro-
 venance, Millstone Grit, Central
 Scotland 439-85
 Mull, Gt. Estuarine Series, 160
 Mullaghduff Porphyry Dyke, 65-82
- Nepheline aggregate lavas, Nyira-
 gonga, 16
 Nephelinites, Nyiragongo, 16
 Nodule trails, 108
 Norite dyke, Badcall, Sutherland, 204
- O'HARA, M. J., Intrusions in Lewisian
 Complex, Badcall, Sutherland,
 201-7
 Old Red Sandstone, Arran, 363-425;
 correlation and variation, 390-2;
 geological history, 419-21; petro-
 logy, 393-406; stratigraphy, 367-92
 —, Bridge of Allan and Newtyle,
 fauna, 306-22
 Olivine leucite, Muja, 7
 100 ft. beach, relation to ice margins,
 94
 Orthocone prod marks, 111-2
- Palaeocurrent directions, Silurian,
 Kirkcudbrightshire, 113-9
 Palaeogeography, Wenlockian,
 Hawick, 247-50
 Pebbly rocks, Dalradian, Glen Lyon,
 179-90
 Peeblesshire, glaciation of part of
 325-48
 Perth Readvance, 87-89, 96-97
 Pit and Mound structures, 240
 Pitlochry and Blair Atholl, Dalradian
 256-78
 Plagioclase-amphibolite dyke, Bad-
 call, Sutherland, 204
 Planar structures, Dalradian, Glen
 Lyon, 169-70
 Portsoy Group, 34, 54; Igneous
 Mass, 54-55
 PRICE, R. J., Glaciation of part of
 Peeblesshire, 325-48
 Prod marks, 240
- Pseudo-nodules, 240
 Pseudo-sedimentary structures, 102
Pteraspis mitchelli, 307-15; and associ-
 ated fauna 315-20
- Quartzose rocks, Glen Lyon, grain
 orientation, 184-5
- Raasay, Gt. Estuarine Series, 147-9
 RAMSAY, D. M., Microfabric studies,
 Dalradian, Glen Lyon, 166-200
 READ, W. A., J. R. EARP and E. H.
 FRANCIS, Discussion, Late-glacial
 shore-lines, 216-24
 Reticulate pattern, 103-4, 107
 Rhum, Torridonian, 486
 Riccarton Beds, 100, 114-6; deposit-
 ion of, 245-6
 Rill marks, Silurian, 105, 109
 Ripple marks, modified, 106-8
 Rosses Granitic Ring Complex, 65
- SAHAMA, TH. G., Petrology, Mt.
 Nyiragongo, 1-28
 Sand Volcanoes, 240
 Sannox Shore section, Arran, 388
 Scaly ridges, 103-5
 Schichallion Synform, 276
 Scottish Millstone Grit, heavy
 minerals 449-71; petrography
 443-9; provenance, 472-82
 Scour markings, experimental 284-7;
 Silurian, 102-3
Securiaspis caledonicus sp. nov. 319-20
 — *waterstoni* sp. nov. 317-9
 Sedimentary structures, Silurian,
 Kirkcudbrightshire, 100-19; Tor-
 ridonian, Rhum, 487; Wenlock-
 ian, Hawick, 238-43
 Sgurr Dhomhnuill granitic gneiss,
 zircons from, 352
 Shore-lines, Late-glacial, 83-99,
 120-32, 216-24
 Sillimanite, Dalradian, Banffshire, 54
 SISSONS, J. B., Late-glacial shore-
 lines in Scotland, 83-99
 —, Reply to discussion, 221-4
 Skip marks, 240
 Skye, Gt. Estuarine Series, 146, 152
 Sole markings, experimental
 279-305; genetic relations, 299;
 Silurian, 101-2

- Sron Mhor Syncline, 275
 Staurolite, Dalradian, Banffshire, 46-7
 Stob Mhic Mhartuin, explosion breccias, 426-38
 Strathaird, Gt. Estuarine Series, 150
 Strontian granite, zircons from, 352
- TILBY, C. E. and I. D. MUIR, Hebridean Plateau Magma Type, 208-15
 Time scale, Dalradian, Banffshire, 57-9
 Tool marks, artificial, 289-91; Silurian, Kirkcudbright, 109-12
 Torridonian, Rhum, 486
 Trace elements, amphibolite dyke, Badcall, 203
 Transverse ripples, 100-1, 240
 Trotternish, Gt. Estuarine Series, 143-7
 Turbidity currents, artificial, 284-95
- Vein Quartz in Dalradian, Glen Lyon, 194-7
 Vertical Belt, Perthshire, 259, 266-71, 274-5
 Virunga volcanic field, 1-28
- WALTON, E. K. and G. Y. CRAIG, Sedimentary structures and Palaeocurrent Directions, Silurian, Kirkcudbrightshire, 100-19
 — and ST. DZULYNSKI, Experimental production of Sole Markings, 279-305
 WARREN, P. T., Petrography, sedimentation and provenance of Wenlock rocks near Hawick, Roxburghshire, 225-55
 WATTISON, A., Temporary exposures, Calcareous Sandstone Measures, East Fife, 133-38
 WELSH, W., Sedimentary features, Torridonian, Rhum, 486
 Wenlock Rocks, Hawick, deposition 244-6; palaeogeography, 247-50; petrography 227-37; sedimentation, 238-41
 Western Ardgour, zircons from, 349-62
 West Sands Bay Group, 43-4
 WHITE, Errol I., *Pteraspis mitchelli* and its associated fauna 306-22
 Whitehills Group, 35, 37, 43, 53, 61
 Zircons, from granitic gneiss, W. Ardgour, 349-62

TRANSACTIONS
of the
Edinburgh Geological Society

CONTENTS

- P. T. WARREN: The Petrography, Sedimentation and Provenance of the Wenlock Rocks near Hawick, Roxburghshire, *page 225*
- A. L. HARRIS: Structural Investigations in the Dalradian Rocks between Pitlochry and Blair Atholl, *page 256*
- ST. DZULYNSKI and E. K. WALTON: Experimental Production of Sole Markings, *page 279*
- E. I. WHITE: Notes on *Pteraspis Mitchelli* and its Associated Fauna, *page 306*
- P. McL. D. DUFF and P. M. BRÜCK: A Jurassic Age for a Sedimentary Sequence on Ben Hiant, Ardnamurchan, Argyll, *page 323*

See special notice on inside cover

PUBLISHED FOR THE SOCIETY BY
OLIVER & BOYD LTD.
EDINBURGH: TWEEDDALE COURT
LONDON: 39A WELBECK STREET

PRICE: TWENTY SHILLINGS

THE EDINBURGH GEOLOGICAL SOCIETY acknowledge gratefully the financial assistance which they have received from The Carnegie Trust for the Universities of Scotland, The Peach & Horne Memorial Fund, and The T. Cuthbert Day Bequest.

COPYRIGHT © THE EDINBURGH GEOLOGICAL SOCIETY
1963

Index cards to authors, titles and abstracts to this part have been printed and are issued with each copy. They are a trial issue and the Editors would be very glad to receive comments on their potential usefulness to Fellows and Libraries. The format has yet to be finally decided. If there is a sufficient demand to have cards with future parts, the Editors will discuss the matter with Editors of other geological journals with a view to extending their use and getting a common format.

EDITORS

G. Y. CRAIG R. A. EDEN
DOUGLAS GRANT

The EDINBURGH GEOLOGICAL SOCIETY was founded in 1834. Fellows pay an Annual Subscription of 30s. ; or a single payment of 24 guineas may be made for life. Intending members are required to be nominated by two Ordinary Fellows. Further particulars may be had from the Honorary Secretary, The Edinburgh Geological Society, The Grant Institute of Geology, West Mains Road, Edinburgh, 9.

PUBLICATIONS OF THE EDINBURGH GEOLOGICAL SOCIETY

Volumes 5-7 and 10-17 of the *Transactions* are available at a cost of 40s. per volume. Subsequent parts cost 20s. each. Certain parts of out-of-print volumes are still obtainable. A list of these parts and prices may be had on application to the publishers.

Fellows can purchase back numbers of the *Transactions* at a discount of 20 per cent.

Other publications are :—

- 1934 History of the Edinburgh Geological Society, 2s. 6d.
- 1939 Facsimile, unfolded, of Necker's Geological Map of Scotland, of 1808, 5s.
- 1958 Geological Excursion Guide to the Assynt District of Sutherland (with 4 coloured and 3 line geological maps), Second Edition 7s. 6d.
- 1960 Edinburgh Geology ; An Excursion Guide (with 8 photographs and numerous sketch maps) 12s. 6d.

NOTES FOR INTENDING CONTRIBUTORS
TO THE TRANSACTIONS

(1) Contributions should be of Scottish or of general geological interest and must be original.

(2) The normal maximum length for a paper is 10,000 words. All papers should be preceded by an ABSTRACT not exceeding 200 words; long papers should have, in addition, a list of CONTENTS. Sections should be numbered with Roman numerals. The address of the author should be appended to the paper.

(3) Text must be typewritten on one side of the paper, with wide margins and double spacing. The contribution should be in its final form; extensive corrections in the proof stages are chargeable to the author.

(4) Line drawings must be of draughtsmanship quality and of such dimensions, reducible if necessary, as to allow reduction to a maximum size of $6\frac{1}{2}'' \times 4''$. If such illustrations do not conform to the standard required, the editors may require to have them redrawn at the author's expense. Photographs should be submitted unmounted except in the case of plates of fossils or photomicrographs. All illustrations and photographs should be lightly numbered on the back with a soft pencil, with the legends typed separately, and attached to the manuscript of the article.

(5) REFERENCES should be arranged alphabetically and set out according to the *World List*, e.g.

ANDERSON, E. M., 1951. *Dynamics of Faulting*, 2nd ed., Oliver & Boyd, Edinburgh.

MCCALL, J., and GOODLET, G. A., 1952. Indicator stones from the drift of south Midlothian and Peebles. *Trans. Edinb. geol. Soc.*, 14, 401-409.

(6) 25 reprints will be supplied free of charge. Further copies will be provided at cost if ordered before the issue is printed.

(7) Papers submitted for publication should be sent to:—

THE EDITORS

TRANSACTIONS OF THE EDINBURGH GEOLOGICAL SOCIETY

TWEEDDALE COURT, 14 HIGH STREET, EDINBURGH 1

The editors will gladly give assistance on editorial matters to intending contributors.